



**ORDINANCE 2018-03**

**CITY OF SEMMES  
FLOOD DAMAGE PREVENTION ORDINANCE**

**BE IT ORDAINED BY THE CITY COUNCIL OF THE CITY OF SEMMES AS FOLLOWS:**

**TABLE OF CONTENTS**

ARTICLE 1.	Statutory Authorization, Finding of Fact, Purpose, Objectives .....	2
SECTION A.	Statutory Authorization.....	2
SECTION B.	Findings Of Fact.....	2
SECTION C.	Statement Of Purpose.....	2
SECTION D.	Objectives.....	3
ARTICLE 2.	Definitions.....	3
ARTICLE 3.	General Provisions .....	10
SECTION A.	Lands To Which This Ordinance Applies.....	10
SECTION B.	Basis For Establishing The Areas Of Special Flood Hazard... ..	10
SECTION C.	Establishment Of Development Permit.....	10
SECTION D.	Compliance.....	10
SECTION E.	Abrogation And Greater Restrictions .....	11
SECTION F.	Interpretation .....	11
SECTION G.	Warnings And Disclaimer Of Liability.....	11
SECTION H.	Penalties For Violation.....	11
SECTION I.	Savings Clause.....	12
ARTICLE 4.	Administration.....	12
SECTION A.	Designation Of Local Administrator.....	12
SECTION B.	Permit Procedures .....	12
SECTION C.	Duties And Responsibilities Of The Local Administrator .....	13
SECTION D.	Variance Procedures .....	14

ARTICLE 5.	Provisions For Flood Hazard Reduction.....	15
SECTION A.	General Standards .....	15
SECTION B.	Specific Standards .....	16
SECTION C.	Standards For Streams W/out Established BFEs And/Or Floodways.....	20
SECTION D.	Standards For Subdivision Proposals .....	20
SECTION E.	Standards For Areas Of Shallow Flooding (AO Zones) .....	20
ARTICLE 6.	Miscellaneous Provisions.....	21

**ARTICLE 1. STATUTORY AUTHORIZATION, FINDINGS OF FACT, PURPOSE, AND OBJECTIVES**

a. Statutory Authorization:

1. The Legislature of the State of Alabama has in the Code of Alabama §11-19-1 through 24; §11-45-1 through 11; §11-52-1 through 84; and §41-9-166 (1975) authorized local government units to adopt regulations designed to promote the public health, safety, and general welfare of its citizenry. Therefore, the City of Semmes does ordain as follows:

b. Findings Of Fact:

1. The flood hazard areas of **City of Semmes**, Alabama and its Police Jurisdiction are subject to periodic inundation that results in hazards to property, and health and safety, and may disrupt commerce and governmental services. Also, this inundation can result in extraordinary public expenditures for flood protection and relief and impairment of the tax base that adversely affect the public health, safety and general welfare.
2. These potential flood losses are caused by the cumulative effect of obstructions in floodplains causing increases in flood heights and velocities, and by the occupancy in flood hazard areas by uses vulnerable to floods or hazardous to other properties that are inadequately elevated, flood-proofed or otherwise protected from flood damage.

c. Statement Of Purpose:

It is the purpose of this Ordinance to promote the public health, safety, and general welfare and to minimize public and private losses due to flood conditions in specific areas by provisions designed to:

1. restrict or prohibit uses that are dangerous to health, safety and property due to water or erosion hazards, or which result in damaging increases in erosion or in flood heights or velocities;
2. require that uses vulnerable to floods, including, but not limited to, facilities which serve such uses, be protected against flood damage at the time of initial construction;
3. control the alteration of natural floodplains, stream channels, and natural protective barriers that are involved in the accommodation of floodwaters;
4. control filling, grading, dredging and other development that may increase erosion or flood damage, and;
5. prevent or regulate the construction of flood barriers that will unnaturally divert flood waters or which may increase flood hazards to other lands.

d. Objectives:

The objectives of this Ordinance are:

1. to protect human life and health;
2. to minimize expenditure of public money for costly flood control projects;
3. to minimize the need for rescue and relief efforts associated with flooding and generally undertaken at the expense of the general public;
4. to minimize prolonged business interruptions;
5. to minimize damage to public facilities and utilities such as water and gas mains, electric, telephone and sewer lines, streets and bridges located in floodplains;
6. to help maintain a stable tax base by providing for the sound use and development of flood prone areas in such a manner as to minimize flood blight areas, and;
7. to ensure that potential home buyers are notified that property is in a flood area.

## **ARTICLE 2. DEFINITIONS**

Unless specifically defined below, words or phrases used in this Ordinance shall be interpreted so as to give them the meaning they have in common usage and to give this Ordinance its most reasonable application.

“Addition (to an existing building)” means any walled or roofed expansion to the perimeter of a building in which the addition is connected by a common load-

bearing wall other than a firewall. Any walled and roofed addition that is connected by a firewall or is separated by independent perimeter load-bearing walls is new construction.

“Appeal” means a request for a review of the Local Administrator’s interpretation of any provision of this Ordinance or a request for a waiver.

“Appurtenant structure” means a structure which is on the same parcel of property as the principal structure to be insured and the use of which is incidental to the use of the principal structure.

“Area of shallow flooding” means a designated AO Zone on a Mobile County’s Flood Insurance Rate Map (FIRM) with base flood depths from one to three feet where a clearly defined channel does not exist, where the path of flooding is unpredictable and indeterminate, and where velocity flow may be evident.

“Area of special flood hazard” is the land in the floodplain within a community subject to a one percent or greater chance of flooding in any given year.

“Base flood” means the flood caused by a 100-year flood event.

“Basement” means a story all or partly underground but having a least one-half of its height below the average level of the adjoining ground.

“Breakaway wall” means a wall that is not part of the structural support of the building and is intended through its design and construction to collapse under specific lateral loading forces without causing damage to the elevated portion of the building or the supporting foundation system.

“Building” means any structure built for the support, shelter, or enclosure of persons, animals, chattels, or moveable property of any kind.

“City” means the City of Semmes, Alabama.

“Development” (DC) Includes, but is not limited to, the design work of lot layout, the construction of drainage structures, public use areas, including condos and apartments, the planning and construction of public streets and public roads, and the placement of public utilities. (SR) The division of a parcel of land into two (2) or more parcels. (ZO) the construction, reconstruction, conversion, structural alteration, relocation or enlargement of any structure; any mining, excavation, landfill or land disturbance; and any use or extension of use of land.

“Elevated building” means a non-basement building built to have the lowest floor elevated above the ground level by means of solid foundation perimeter walls, pilings, columns (posts and piers) and/or shear walls.

“Existing construction” means any structure for which the “start of construction” commenced before the effective date of the first floodplain management Code, Ordinance, or Standard based upon specific technical base flood elevation data that established the area of special flood hazard or January 1, 1975.

“Existing manufactured home park or subdivision” means a manufactured home park or subdivision for which the construction of facilities for servicing the lots on which the manufactured homes are to be affixed (including at a minimum the installation of utilities, the construction of streets, and either final site grading or the pouring of concrete pads) is completed before the effective date of the floodplain management regulations adopted by a community before the effective date of the first floodplain management Code, Ordinance, or Standard based upon specific technical base flood elevation data that established the area of special flood hazard or January 1, 1975.

“Expansion to an existing manufactured home park or subdivision” means the preparation of additional sites by the construction of facilities for servicing the lots on which the manufactured homes are to be affixed (including the installation of utilities, the construction of streets, and either final site grading or the pouring of concrete pads).

“Flood” or “flooding” means a general and temporary condition of partial or complete inundation of normally dry land areas from:

1. the overflow of inland or tidal waters;
2. the unusual and rapid accumulation or runoff of surface waters from any source.

“Flood Hazard Boundary Map (FHBM)” means an official map of the City, issued by the Federal Emergency Management Agency, where the boundaries of the areas of special flood hazard have been defined as Zone A.

“Flood Insurance Rate Map (FIRM)” means an official map of the City, on which the Federal Emergency Management Agency has delineated both the areas of special flood hazard and the risk premium zones applicable to the City.

“Flood Insurance Study”/“Flood Elevation Study” means an examination, evaluation and determination of flood hazards and, if appropriate,

corresponding water surface elevations, or an examination, evaluation and determination of mudslide and/or flood-related erosion hazards.

“Flood Insurance Study” is the official report provided by the Federal Emergency Management Agency. The report contains flood profiles, also the Flood Boundary Floodway Map and the water surface elevation of the base flood.

“Floodplain” means those areas defined by FEMA as subject to flooding once in 100 years, based on topography.

“Floodway” means the stream channel and the portion of the adjacent flood plain which must be reserved solely for the passage of flood waters in order to prevent an increase in upstream flood heights of more than one (1) foot above the pre-development conditions. For the purpose of these regulations, floodways shall be defined as follows: The floodways as identified or delineated in the Flood Insurance Study for Mobile County, Alabama.

“Floor” means the top surface of an enclosed area in a building (including basement), i.e., top of slab in concrete slab construction or top of wood flooring in wood frame construction. The term does not include the floor of a garage used solely for parking vehicles.

“Freeboard” means a factor of safety usually expressed in feet above a flood level for purposes of flood plain management. “Freeboard” tends to compensate for the many unknown factors that could contribute to flood heights greater than the height calculated for a selected sized flood and floodway conditions, such as wave action, bridge openings, and the hydrological effect of urbanization of the watershed.

“Highest Adjacent Grade” means the highest natural elevation of the ground surface, prior to construction, within forty (40) feet of the proposed walls of a building.

“Historic Structure” means any structure that is

1. listed individually in the National Register of Historic Places (a listing maintained by the Department of Interior) or preliminarily determined by the Secretary of the Interior as meeting the requirements for individual listing on the National Register;
2. certified or preliminarily determined by the Secretary of the Interior as contributing to the historical significance of a registered historic district or a district preliminarily determined by the Secretary to qualify as a registered historic district;

3. individually listed on a state inventory of historic places in states with historic preservation programs that have been approved by the Secretary of the Interior; or
4. individually listed on a local inventory of historic places in communities with historic preservation programs that have been certified either:
  - a. By an approved state program as determined by the Secretary of the Interior, or
  - b. Directly by the Secretary of the Interior in states without approved programs.

“Local Administrator” means the person or office designated to administer this Ordinance and is the City of Semmes **GIS Coordinator**.

“Lowest floor” means the lowest floor of the lowest enclosed area (including basement). An unfinished or flood resistant enclosure, used solely for parking of vehicles, building access, or storage, in an area other than a basement, is not considered a building's lowest floor, provided that such enclosure is not built so as to render the structure in violation of other provisions of this code.

“Manufactured home” means a building, transportable in one or more sections, which is built on a permanent chassis and designed to be used with or without a permanent foundation when connected to the required utilities. The term also includes park trailers, travel trailers, and similar transportable structures placed on a site for 180 consecutive days or longer and intended to be improved property.

“Manufactured Home Park or Subdivision” means a parcel (or contiguous parcels) of land divided into two or more manufactured home lots for rent or sale.

“Mean Sea Level” means the average height of the sea for all stages of the tide. It is used as a reference for establishing various elevations within the floodplain. For the purpose of this Ordinance the term is synonymous with National Geodetic Vertical Datum (NGVD).

“National Geodetic Vertical Datum (NGVD)” as corrected in 1929 is a vertical control used as a reference for establishing varying elevations within the floodplain.

“New construction” means structures for which the “start of construction” commenced on or after the effective date of this Ordinance.

“New manufactured home park or subdivision home park or subdivision” means a manufactured home park or subdivision for which the construction of facilities for servicing the lots on which the manufactured homes are to be affixed (including at a minimum, the installation of utilities, the construction of streets, and either final site grading or the pouring of concrete pads) is completed on or after the effective date of floodplain management regulations adopted by a community.

“Police Jurisdiction” is the extraterritorial police and fire jurisdictions granted to cities by the Code of Alabama.

“Recreational vehicle” means a vehicle which is:

1. built on a single chassis;
2. 400 square feet or less when measured at the largest horizontal projection;
3. designed to be self-propelled or permanently towable by a light duty truck; and
4. designed primarily not for use as a permanent dwelling but as temporary living quarters for recreational, camping, travel, or seasonal use.
5. Be on site less than 180 consecutive days

“Reference Feature” is the receding edge of a bluff or eroding frontal dune, or if such a feature is not present, the normal high water line or the seaward line of permanent vegetation if a high water line cannot be identified.

“Remedy a violation” means to bring the structure or other development into compliance with State or local flood plain management regulations, or, if this is not possible, to reduce the impacts of its noncompliance. Ways that impacts may be reduced include protecting the structure or other affected development from flood damages, implementing the enforcement provisions of the Ordinance or otherwise deterring future similar violations, or reducing Federal financial exposure with regard to the structure or other development.

“Repetitive Loss” flood-related damages sustained by a structure on at least two separate occasions during a 10-year period for which the cost of repairs at the time of each such flood event, on the average, equals or exceeds 25 percent of the market value of the structure before the damages occurred.



“Start of construction” means the first land disturbing activity associated with a development, including land preparation such as clearing, excavation, grading, and filling.

“Structure” means anything constructed or erected that requires rigid and permanent location on or attached to the ground; including, but not limited to, buildings, signs, towers, monuments, statues, walls and fences; but not including telephone and other utility poles, overhead wires, retaining walls and terrace walls, wire fences, and any other object less than three (3) feet in height.

“Substantial damage” means damage of any origin sustained by a structure whereby the cost of restoring the structure to its before damaged condition would equal or exceed 50 percent of the market value of the structure before the damage occurred.

“Substantial improvement for residential construction” means any improvement to a building that results in an increase to the square footage of the building footprint and/or building living area (excluding interior repairs or interior modifications to the existing portion of the building), in which cost equals or exceeds 50 percent of the market value of the building. The market value of the building should be the appraised value of the building prior to the start of the initial repair or improvement. For the purpose of this definition, “substantial improvement” is considered to occur when the first alteration results in an increase to the overall square footage foot print of the building and/or the square footage of the building living area. The term does not, however, include any project for improvement of a building required to comply with existing health, sanitary, or safety code specifications which are solely necessary to assure safe living conditions.

“Substantial improvement for non-residential construction” means any combination of repairs, reconstruction, alteration, or improvements to a non-residential building in which the cost equals or exceeds 50 percent of the market value of the building. The market value of the building should be (1) the appraised value of the building prior to the start of the initial repair or improvement, or (2) in the case of damage, the value of the building prior to the damage occurring. This term includes structures which have incurred “substantial damage,” regardless of the actual repair work performed. For the purpose of this definition, “substantial improvement for non-residential construction” is considered to occur when the first alteration of any wall, ceiling, floor, or other structural part of the building commences, whether or not that alteration affects the external dimensions of the building. The term does not, however, include any project for improvement of a building required to comply

with existing health, sanitary, or safety code specifications which are solely necessary to assure safe living conditions.

“Substantially improved existing manufactured home parks or subdivision” occurs when the repair, reconstruction, rehabilitation or improvement of the streets, utilities and pads equals or exceeds 50 percent of the value of the streets, utilities and pads before the repair, reconstruction or improvement commenced.

“Verify” means the act of relying upon a properly licensed professional’s opinion regarding raw data and the implications thereof.

“Violation” means the failure of a structure or other development to be fully compliant with the provisions of this Ordinance.

“Waiver” (SR) Authorization for subdivision of property that does not meet a specific requirement established in the Subdivision Regulations of the City of Semmes.

“Zone of imminent collapse” means an area subject to erosion adjacent to the shoreline of an ocean, key, bay, lake and within a distance equal to 10 feet plus 5 times the average annual long-term erosion rate for the site, measured from the reference feature.

### **ARTICLE 3. GENERAL PROVISIONS**

a. Lands To Which This Ordinance Applies:

This Ordinance shall apply to all areas of special flood hazard within the **City of Semmes and its Police Jurisdiction** as shown on the Flood Insurance Rate Map, (FIRM).

b. Basis For Establishing The Areas Of Special Flood Hazard:

The areas of special flood hazard identified by the City of Semmes utilizing the **Flood Insurance Study** as provided by the Federal Emergency Management Agency, together with accompanying maps and other supporting data, and any revision thereto, are adopted by reference and declared to be a part of this Ordinance. Areas of Special Flood Hazard may also include those areas known to have flooded historically or defined through standard engineering analysis by governmental agencies or private parties but not yet incorporated in a Flood Insurance Study, (FIS).

c. Establishment Of Development Permit:

A Development Permit shall be required in conformance with the provisions of this Ordinance prior to the commencement of any development activities.

d. Compliance:

No structure or land shall hereafter be located, extended, converted or structurally altered without full compliance with the terms of this Ordinance and other applicable regulations.

e. Abrogation And Greater Restrictions:

This Ordinance is not intended to repeal, abrogate, or impair any existing easements, covenants, or deed restrictions. However, where this Ordinance and another conflict or overlap, whichever imposes the more stringent restrictions shall prevail.

f. Interpretation:

In the interpretation and application of this Ordinance all provisions shall be: (1) considered as minimum requirements; (2) liberally construed in favor of the governing body, and; (3) deemed neither to limit nor repeal any other powers granted under State statutes.

g. Warnings And Disclaimer Of Liability:

The degree of flood protection required by this Ordinance is considered reasonable for regulatory purposes and is based on scientific and engineering consideration. Larger floods can and will occur on rare occasions. Flood heights may be increased by manmade or natural causes. This Ordinance does not imply that land outside the areas of special flood hazard or uses permitted within such areas will be free from flooding or flood damages. This Ordinance shall not create liability on the part of the City or any of its agents, officers or employees for any flood damage or similar damage, for any act or omission of the City, its agents, officers or employees.

h. Penalties For Violation:

Violation of the provisions of this Ordinance or failure to comply with any of its requirements, including violation of conditions and safeguards established in connection with grants of waiver or special exceptions, shall constitute a misdemeanor. Any person who violates this Ordinance or fails to comply with any of its requirements shall, upon conviction thereof, be fined not more than \$100.00 or imprisoned for not more than one (1) day, or both, and in addition, shall pay all costs and expenses involved in the

case. Each day such violation continues shall be considered a separate offense, provided, however, that the maximum penalty shall not exceed a fine in the amount of \$500.00 or imprisonment for more than one (1) year as authorized by the Code of Alabama 1975, Section 11-19-22, and any hereafter enacted amendments thereto. Nothing herein contained shall prevent the City from taking such other lawful action as is necessary to prevent or remedy any violation.

i. Savings Clause:

If any section, subsection, sentence, clause, phrase, or word of this Ordinance is for any reason held to be noncompliant with this Ordinance, unconstitutional, void, invalid, and/or moot, such decision shall not affect the validity of the remaining portions of this ordinance.

#### **ARTICLE 4. ADMINISTRATION**

a. Designation Of Local Administrator:

1. The City of Semmes **GIS Coordinator** is hereby appointed to administer and implement the provisions of this Ordinance.

b. Permit Procedures:

Application for a Development Permit shall be made to the local administrator on forms furnished by him or her prior to any development activities, and may include, but not be limited to, the following plans in duplicate drawn to scale showing the nature, location, dimensions, and elevations of the area in question; existing or proposed structures, earthen fill, storage of materials and equipment, drainage facilities, and the location of the foregoing. Specifically, the following information is required:

1. Application Stage.

- a. Elevation in relation to the base flood elevation of the proposed lowest floor (including basement) of all buildings:
- b. Description of the extent to which any watercourse will be altered or relocated as a result of proposed development.

2. Construction Stage.

Provide a floor elevation or flood-proofing certification after the lowest floor is completed. Upon placement of the lowest floor, it shall be the duty of the permit holder to submit to the Local Administrator a certification of the elevation of the lowest floor, as built, in relation to the base flood elevation. Said certification shall be prepared by or under the direct supervision of a registered land

surveyor or professional engineer and certified by same. Any work undertaken prior to submission of the certification shall be at the permit holder's risk. The Local Administrator shall review the floor elevation survey data submitted. Deficiencies detected by such review shall be corrected by the permit holder immediately and prior to further progressive work being permitted to proceed. Failure to submit the survey or failure to make said corrections required hereby, shall be cause to issue a stop-work order for the project.

c. Duties And Responsibilities Of The Local Administrator:

Duties of the Local Administrator shall include, but not be limited to:

1. Review all development permits to assure that the permit requirements of this Ordinance have been satisfied.
2. Advise permittee that additional federal or state permits may be required, and if specific federal or state permit requirements are known, require that copies of such permits be provided and maintained on file with the development permit.
3. Notify adjacent communities and the Alabama Department of Economic and Community Affairs-Office of Water Resources prior to any alteration or relocation of a watercourse, and submit evidence of such notification to the Federal Emergency Management Agency.
4. Assure that maintenance is provided within the altered or relocated portion of said watercourse so that the flood-carrying capacity is not diminished.
5. Verify and record the actual elevation (in relation to the base flood elevation) of the lowest floor (including basement) of all new or substantially improved buildings, in accordance with Article 4, Section B (2).
6. Where interpretation is needed as to the exact location of boundaries of the areas of special flood hazard (for example, where there appears to be a conflict between a mapped boundary and actual field conditions) the Local Administrator shall make the necessary interpretation. The person contesting the location of the boundary shall be given a reasonable opportunity to appeal the interpretations provided in this article.
7. When base flood elevation data or floodway data have not been provided in accordance with Article 3, Section B, then the Local Administrator shall obtain, review and reasonably utilize any base flood elevation and floodway data available from a federal, state or other source, in order to administer the provisions of Article 5.

8. All records pertaining to the provisions of this Ordinance shall be maintained in the office of the Local Administrator and shall be open for public inspection.

d. Waiver Procedures:

1. The **City Council** will act for the City of Semmes as the **Appeals Committee**, which shall hear and decide appeals and requests for waivers from the requirements of this Ordinance.
2. The **Appeals Committee** shall hear and decide appeals when it is alleged there is an error in any requirement, decision, or determination made by the Local Administrator in the enforcement or administration of this Ordinance.
3. Any person aggrieved by the decision of the **Appeals Committee** may appeal such decision to the Circuit Court as provided by law.
4. Waivers may be issued for the repair or rehabilitation of historic structures (see definition) upon a determination that the proposed repair or rehabilitation will not preclude the structure's continued designation as a historic structure and the waiver is the minimum to preserve the historic character and design of the structure.
5. In passing upon such applications, the **Appeals Committee** shall consider all technical evaluations, all relevant factors, all standards specified in other sections of this Ordinance, and:
  - a. the danger that materials may be swept onto other lands to the injury of others;
  - b. the danger to life and property due to flooding or erosion damage;
  - c. the susceptibility of the proposed facility and its contents to flood damage and the effect of such damage on the individual owner;
  - d. the importance of the services provided by the proposed facility to the community;
  - e. the necessity of the facility to a waterfront location, in the case of a functionally dependent facility.
  - f. the availability of alternative locations, not subject to flooding or erosion damage, for the proposed use;
  - g. the compatibility of the proposed use with existing and anticipated development;
  - h. the relationship of the proposed use to the comprehensive plan and floodplain management program for the area

- i. the safety of access to the property in times of flood for ordinary and emergency vehicles;
  - j. the expected heights, velocity, duration, rate of rise and sediment transport of the floodwaters and the effect of wave action, if applicable, expected at the site, and;
  - k. the costs of providing governmental services during and after flood conditions including maintenance and repair of public utilities and facilities such as sewer, gas, electrical, and water systems, and streets and bridges.
6. Upon consideration of the factors listed above, and the purposes of this Ordinance the **Appeals Committee** may attach such conditions to the granting of waivers as it deems necessary to further the purposes of this Ordinance.
7. Waivers shall not be issued within any designated floodway if any increase in flood levels during the base flood discharge would result.
8. Conditions for Waivers:
  - a. Waivers shall only be issued upon a determination that the variance is the minimum necessary, considering the flood hazard; to afford relief, and in the instance of a historical building, a determination that the waiver is the minimum necessary so as not to destroy the historic character and design of the building;
  - b. Waivers shall only be issued upon (i) a showing of good and sufficient cause, (ii) a determination that failure to grant the waiver would result in exceptional hardship, and; (iii) a determination that the granting of a waiver will not result in increased flood heights, additional threats to public safety, extraordinary public expense, create nuisance, cause fraud or victimization of the public, or conflict with existing local laws or Ordinance
  - c. Any applicant to whom a waiver is granted shall be given written notice specifying the difference between the base flood elevation and the elevation to which the structure is to be built and stating that the cost of flood insurance will be commensurate with the increased risk resulting from the reduced lowest floor elevation.
  - d. The Local Administrator shall maintain the records of all appeal actions and report any waivers to the Federal Emergency Management Agency upon request.

9. The concurring vote of five (5) members of the **Appeals Committee** shall be necessary to reverse any order requirement, decision or determination of any administrative official or to decide in favor of the applicant on any matter upon which it is requested to pass.

## **ARTICLE 5. PROVISIONS FOR FLOOD HAZARD REDUCTION**

### a. General Standards:

In all areas of special flood hazard the following provisions are required.:

1. New construction and substantial improvements shall be anchored to prevent flotation, collapse or lateral movement of the structure;
2. Manufactured homes shall be anchored to prevent flotation, collapse, or lateral movement. Methods of anchoring may include, but are not limited to, use of over-the-top or frame ties to ground anchors. This standard shall be in addition to and consistent with applicable state requirements for resisting wind forces.
3. New construction and substantial improvements shall be constructed with materials and utility equipment resistant to flood damage;
4. New construction or substantial improvements shall be constructed by methods and practices that minimize flood damage;
5. Electrical, heating, ventilation, plumbing, air conditioning equipment, and other service facilities shall be designed and/or located so as to prevent water from entering or accumulating within components during conditions for flooding.
6. New and replacement water supply systems shall be designed to minimize or eliminate infiltration of floodwaters into the system;
7. New and replacement sanitary sewage systems shall be designed to minimize or eliminate infiltration of floodwaters into the systems and discharges from the systems into floodwaters;
8. On-site waste disposal systems shall be located and constructed to avoid impairment to them or contamination from them during flooding, and;
9. Any alteration, repair, reconstruction or improvements to a building which is in compliance with the provisions of this ordinance shall meet the requirements of "new construction" as contained in this Ordinance.
10. Any alteration, repair, construction or improvements to a building which is not in compliance with the provisions of this Ordinance, shall be undertaken only if said nonconformity is not furthered, extended, or replaced.



11. For new construction or substantial improvements, elevation certificates shall be submitted on all three (3) stages of construction prior to inspection. A temporary benchmark (TBM) shall be placed on the property as noted until completion of construction.

b. Specific Standards:

In all areas of special flood hazard where base flood elevation data have been provided, as set forth in Article 3, Section B. or Article 4, Section C (7), the following provisions are required:

1. Residential Construction.

New construction or substantial improvement of any residential building or manufactured home shall have the lowest floor, including basement, elevated no lower than one foot (one foot of Freeboard) above base flood elevation. The freeboard is two feet in the coastal and riverine areas that are subject to the stillwater elevations derived from the storm surge hydrologic analysis used in the March 17, 2010 Flood Insurance Study for Mobile County. The two-foot freeboard is transitioned linearly in the riverine areas from the stillwater elevation to the next equivalent base flood elevation. Should solid foundation perimeter walls be used to elevate a structure, openings sufficient to facilitate the unimpeded movements of floodwaters shall be provided in accordance with standards of Article 5, Section B (3).

2. Nonresidential construction.

New construction or substantial improvement of any commercial, industrial, or nonresidential building (or manufactured home) shall have the lowest floor, including basement, elevated no lower than one foot (one foot of Freeboard) above the base flood elevation. The freeboard is two feet in the coastal and riverine areas that are subject to the stillwater elevations derived from the storm surge hydrologic analysis used in the March 17, 2010 Flood Insurance Study for Mobile County. The two-foot freeboard is transitioned linearly in the riverine areas from the stillwater elevation to the next equivalent base flood elevation.

3. Elevated Buildings.

New construction or substantial improvements of elevated buildings that include fully enclosed areas formed by foundation and other exterior walls below the base flood elevation shall be designed to preclude finished living space and designed to allow for the entry and exit to floodwaters to automatically equalize hydrostatic flood forces on exterior walls.

- a. Designs for complying with this requirement must either be certified by a professional engineer or architect and meet the following minimum criteria:
    - i. Provide a minimum of two openings having a total net area of not less than one square inch for every square foot enclosed area subject to flooding;
    - ii. The bottom of all openings shall be no higher than one foot above grade; and,
    - iii. Openings may be equipped with screens, louver, valves or other coverings or devices provided they permit the automatic flow of floodwaters in both directions.
  - b. Access to the enclosed area shall be the minimum necessary to allow for parking of vehicles (garage door) or limited storage of maintenance equipment used in connection with the premises (standard exterior door) or entry to the living area (stairways or elevator); and
  - c. The interior portion of such enclosed area shall not be partitioned or finished into separate rooms.
4. Standards for Manufactured Homes and Recreational Vehicles
- a. All manufactured homes placed, or substantially improved, on individual lots or parcels, in expansions to existing manufactured home parks or subdivisions, in substantially improved manufactured home parks or subdivisions, or in new manufactured home parks or subdivisions must meet all the requirements for new construction, including elevation and anchoring.
  - b. All manufactured homes placed or substantially improved in an existing manufactured home park or subdivision must be elevated so that:
    - i. The lowest floor of the manufactured home is elevated no lower than one foot (one foot of Freeboard) above the level of the base flood elevation. The freeboard is two feet in the coastal and riverine areas that are subject to the stillwater elevations derived from the storm surge hydrologic analysis used in the March 17, 2010 Flood Insurance Study for Mobile County. The two-foot freeboard is transitioned linearly in

- the riverine areas from the stillwater elevation to the next equivalent base flood elevation, or
- ii. The manufactured home chassis is supported by reinforced piers or other foundation elements of at least an equivalent strength, of no less than 36 inches in height above grade, and;
  - iii. The manufactured home must be securely anchored to the adequately anchored foundation system to resist flotation, collapse and lateral movement.
  - iv. In an existing manufactured home park or subdivision on which a manufactured home has incurred "substantial damage" as the result of a flood, any manufactured home placed or substantially improved must meet the standards of Article 5, Section B (4) (b) (i) and (iii) above.
- c. All recreational vehicles placed on sites must either:
- i. Be fully licensed and ready for highway use, on its wheels or jacking system, attached to the site only by quick disconnect type utilities and security devices, and had no permanently attached structures or additions; or
  - ii. The recreational vehicle must meet all the requirements for new construction, including anchoring and elevation requirements of Article 5, Section B (4) (a) or (b), (i) and (iii) above.
5. Floodways located within areas of special flood hazard established in Article 3, Section B, are areas designated as floodways. Since the floodway is an extremely hazardous area due to the velocity of floodwaters which carry debris, potential projectiles and has erosion potential, the following provisions shall apply:
- a. Encroachments are prohibited, including fill, new construction, substantial improvements or other development within the adopted regulatory floodway. Development may be permitted however, provided it is demonstrated through hydrologic and hydraulic analyses performed in accordance with standard

engineering practice that the encroachment shall not result in any increase in flood levels or floodway widths during a base flood discharge. A registered professional engineer must provide supporting technical data and certification thereof;

- b. If Article 5, Section B (5) (a) above, is satisfied, all new construction and substantial improvements shall comply with all applicable flood hazard reduction provisions of Article 5.
- c. Prohibit the placement of manufactured homes (mobile homes), except in an existing manufactured homes (mobile homes) park or subdivision. A replacement manufactured home may be placed on a lot in an existing manufactured home park or subdivision provided the anchoring standards of Article 5, Section A (2), and the elevation standards of Article 5, Section B (1) and the encroachment standards of Article 5, Section B (5) (a), are met.

c. Standards For Streams Without Established Base Flood Elevations And/Or Floodways:

Located within the areas of special flood hazard established in Article 3, Section B, when streams exist but where no base flood data has been provided or where base flood data has been provided without elevations the following provisions apply:

- 1. No encroachments, including fill material or structures shall be located within areas of special flood hazard standards for streams without established base elevations and/or floodways unless certification by a registered professional engineer is provided demonstrating that the cumulative effect of the proposed development when combined with all other existing and anticipated development will not increase the water surface elevation of the base flood more than one foot at any point within the community.

d. Standards For Subdivision Proposals:

- 1. All subdivision proposals shall be consistent with the need to minimize flood damage;
- 2. All subdivision proposals that have public utilities and facilities such as sewer, gas, electrical and water systems shall be located and constructed to minimize flood damage;

3. All subdivision proposals shall have adequate drainage provided to reduce exposure to flood hazards, and;
  4. Base flood elevation data shall be provided for all subdivision proposals and other proposed development (including manufactured home parks and subdivisions), unless otherwise authorized by the Planning Commission.
- e. Standards For Areas Of Shallow Flooding (AO Zones):
- Located within the areas of special flood hazard established in Article 3, Section B, are areas designated as shallow flooding areas. These areas have special flood hazards associated with base flood depths of one to three feet (1'-3') where a clearly defined channel does not exist and where the path of flooding is unpredictable and indeterminate; therefore, the following provisions apply:
1. All new construction and substantial improvements of residential buildings shall have the lowest floor, including basement, elevated to the depth number specified on the Flood Insurance Rate Map, in feet, above the Highest Adjacent Grade. If no depth number is specified, the lowest floor, including basement, shall be elevated, at least two (2) feet above the Highest Adjacent Grade. Openings sufficient to facilitate the unimpeded movements of flood waters shall be provided in accordance with standards of Article 5, Section B (3).
  2. All new construction and substantial improvements of nonresidential buildings shall:
    - a. Have the lowest floor, including basement, elevated to the depth number specified on the Flood Insurance Rate Map, in feet, above the Highest Adjacent Grade. If no depth number is specified, the lowest floor, including basement shall be elevated at least three (3) feet above the Highest Adjacent Grade, or;
    - b. Together with attendant utility and sanitary facilities be completely flood-proofed to or above that level so that any space below that level is watertight with walls substantially impermeable to the passage of water and with structural components having the capability of resisting hydrostatic and hydrodynamic loads and effects of buoyancy. A registered professional engineer or architect shall certify that the design and methods of construction are in accordance with accepted standards of practice for meeting the provisions above,

and shall provide such certification to the official as set forth above and as required in Article 4(B)(2).

3. Drainage paths shall be provided to guide floodwater around and away from any proposed structure.

#### **ARTICLE 6: MISCELLANEOUS**

(a) Upon the codification of City ordinances, authority is hereby granted to reassign the numbering of this ordinance as may be found to be appropriate at such time, this ordinance to remain in full force in effect under such newly assigned number(s) as though assigned herein.

(b) This ordinance shall become effective within the City limits and Police Jurisdiction of the City upon publication pursuant to applicable law for thirty consecutive (30) days.

(c) If any article, section, sentence, clause or phrase of this ordinance is, for any reason, held to be invalid or unconstitutional by a declaration of any court of competent jurisdiction, such declaration shall not affect the validity of the remaining portions of this ordinance.

(d) In addition to any of the rights and remedies of the City as set forth in this ordinance, the City reserves all rights to enforce any state laws applicable to the subject matter of this ordinance.

**APPROVED AND ADOPTED BY THE CITY COUNCIL OF THE CITY OF SEMMES, ALABAMA this the 20<sup>th</sup> day of February 2018.**

**/S/ David Baker- Mayor**

**ATTEST:**

**/s/ Debra A. Hanbury - City Clerk**